

## **Flowshop scheduling problems with due date related objectives: A review of the literature**

**Paz Pérez-González<sup>1</sup>, José M. Framiñán Torres<sup>1</sup>, Pedro L. González-R<sup>1</sup>, José M. León Blanco<sup>1</sup>, Rafael Ruiz Usano<sup>1</sup>**

<sup>1</sup> Dpto. de Organización Industrial y Gestión de Empresas. Escuela Técnica Superior de Ingenieros. Universidad de Sevilla. Av. de los Descubrimientos s/n, 41092. Sevilla. pazperez@esi.us.es, framinan@us.es, pedroluis@esi.us.es, miguel@esi.us.es, usano@us.es.

**Keywords:** scheduling, flowshop, literature review, due date.

### **1. Introduction**

In this work we analyse the scheduling literature regarding flowshop with due date related objectives. The importance of this topic is reflected in the wide existing literature. One of the first works on this topic is undertaken by Jackson (1955), and it is considered the starting point of the research about scheduling considering due dates (Gordon et al., 2002). In general, there exist some reviews about problems related with due date as Baker and Scudder (1990), Keskinocak and Tayur (2004), Koulamas (1994), Sen and Gupta (1984). The special case of due date assignment problems can be consulted in Cheng and Gupta (1989), Gordon et al (2002), Lee (2003), Gordon et al (2004), Kaminsky and Hochbaum (2004) and Minella et al (2008).

To the best of our knowledge, none of them tackled specifically the flowshop problem with due date related objectives and only some of these reviews include references related to this layout. However, there are a high number of references related to the flowshop layout, we review them in this work, including those references from the reviews previously cited. In total, we have reviewed a number of papers related with the topic, excluding references considering batches, fuzzy, hybrid or modifiable flowshops. The literature has been classified according to the case in which the due date is a given parameter (analysed in Section 2), or it is a variable to be determined (studied in Section 3). A table for each case with the references analysed is presented, indicating the problems analysed, the solution methods that have been employed (i.e. approximate or exact methods), and the algorithms employed to solve them and some comments.

### **2. Flowshop scheduling problems with given due dates**

Production processes consider penalties associated with jobs completed early or late (Birman and Mosheiov, 2004). These penalties can be calculated when due dates are a given parameter, which is established by certain job- and workload-related parameters (Ízdamar and Yazgaç, 1997), but not according to a schedule which is a future decision considering objectives related to earliness/tardiness. This case has been widely studied in the flowshop setting.

---

\* This work stems from the participation of the authors in the research project "Advanced Systems for Integrated Order Management", grant DPI2007-61345, funded by the Spanish Ministry of Science and Innovation, and "SCOPE", grant P08-TEP-3630, funded by the Andalusian Government.

Since there are a great number of references, they have been classified according to the objective studied: Maximum Lateness ( $L_{max}$ ) problems are shown in Table 1, Maximum Tardiness and Maximum Weighted Tardiness ( $T_{max}$  and  $T_{max}^w$ ) problems are shown in Table 2, Total Tardiness and Total Weighted Tardiness ( $T$  and  $T^w$ ) problems are shown in Table 3, Number of Tardy jobs and Weighted Number of Tardy jobs ( $n_T$  and  $n_T^w$ ) problems are shown in Table 4, Weighted Late Work criterion ( $Y_w$ ) problems are shown in Table 5, and finally, other cases are shown in Table 6.

**Table 1.** Literature review for flowshop scheduling with given due date: Single-objective,  $L_{max}$

<b>Case: Single-Objective (<math>L_{max}</math>)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
$Fm prmu,r_j L_{max}$ Grabowski et al (1983)	Exact	Branch and Bound	Small problems are solved
$F2 block, setup L_{max}$ Stevens and Gemmill (1997)	Approx.	Two heuristics	Results for small problems are compared with a Dispatching Rule
$Fm idm L_{max}$ Xiang et al (2000)	Exact	Algorithm	Algorithm based on EDD rule
$Fm idm-ddm L_{max}$ Xiang et al (2000)	Exact	Algorithm	Algorithm based on EDD rule
$F2 setup L_{max}$ Allahverdi and Al-Anzi (2002)	Approx.	Four heuristics	Based on Dileepan and Sen (1991)
Fazle Baki and Vickson (2003)	Exact	Dispatching Rule	It outperforms Webster and Baker (1995)
$F2 nwt, class-setup L_{max}$ Wang and Cheng (2006)	Approx.	Heuristic	Class setup times
$Fm nwt, setup L_{max}$ Ruiz and Allahverdi (2007)	Approx.	Dominance Rule, Genetic Algorithms	The best results are obtained by the Genetic Algorithm

**Table 2.** Literature review for flowshop scheduling with given due date: Single-objective,  $T_{max}$  and  $T_{max}^w$

<b>Case: Single-Objective (<math>T_{max}</math> and <math>T_{max}^w</math>)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
$F2  T_{max}$ Lin (2001)	X	X	The complexity of the problem is analysed
$Fm prmu T_{max}$ Portougal and Scott (2001)	X	X	Asymptotic convergence is analysed for some Dispatching Rules
Chung et al (2006)	Exact	Branch and Bound	It outperforms Kim (1995) for $n \leq 20$
$Fm  T_{max}$ vs $Fm prmu T_{max}$ Liao et al (2006)	Approx.	Tabu Search	Tabu Search is compared to a Genetic Algorithm
$Fm prmu T_{max}^w$ Portougal and Scott (2001)	X	X	Asymptotic convergence is analysed for some Dispatching Rules
$F2 setup T_{max}$ Dileepan and Sen (1991)	Exact	Branch and Bound	Optimality conditions are presented
	Approx.	Heuristics	Heuristics based on EDD

			and Johnson Algorithm
$Fm idm T_{max}$ Xiang et al (2000)	Exact	Algorithm	Algorithm based on EDD rule
$Fm idm-ddm T_{max}$ Xiang et al (2000)	Exact	Algorithm	Algorithm based on EDD rule
$F2 learning-effect T_{max}$ Wu et al (2007)	Exact	Branch and Bound	Due date ranges are tested
	Approx.	Simulated Annealing	Heuristic compared to the EDD rule

**Table 3.** Literature review for flowshop scheduling with given due date: Single-objective,  $T$  and  $T^w$

<b>Case: Single-Objective (<math>T</math> and <math>T^w</math>)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
$F2  T$ Lenstra et al (1977) Sen et al (1989) Kim (1993b) Kim (1993a) Pan and Fan (1997) Pan et al (2002)	X	X	The complexity of the problem is analysed
	Exact	Branch and Bound and three heuristics	One heuristic provides optimal solutions in many cases
	Approx.	Tabu Search	List scheduling algorithms are adapted from the job-shop case
	Exact	Branch and Bound	It outperforms Sen et al (1989)
	Exact	Branch and Bound	For small problems is compared to Kim (1993a)
	Exact	Branch and Bound	It outperforms Pan and Fan (1997)
$Fm prmu T$ Kim (1995) Parthasarathy and Rajendran (1998) Hasija and Rajendran (2004) Framinan and Leisten (2007) Vallada and Ruiz (2009)	Exact	Branch and Bound	Lower bounds are obtained from some properties
	Approx.	Simulated Annealing	The algorithm is evaluated for the weighted case
	Approx.	Simulated Annealing	It outperforms Parthasarathy and Rajendran (1998) and Armentano and Ronconi (1999)
	Approx.	Iterated Greedy and Variable Neighbourhood Search	It outperforms Parthasarathy and Rajendran (1998) and Hasija and Rajendran (2004)
	Approx.	Cooperative Metaheuristic	Heuristic compared to Ruiz and Allahverdi (2007), Ruiz and Stützle (2008) and Vallada and Ruiz (2006)
$F2 prmu T$ vs $F2  T$ Raman (1995)	Approx.	Shifting bottleneck procedures	Results for nonpermutation schedules are better
$Fm prmu T$ vs $Fm  T$ and $Fm prmu T^w$ vs $Fm  T^w$ Liao et al (2006)	Approx.	Tabu Search	Heuristic compared to a Genetic Algorithm
$F3  T$ Caskey and Storch (1996)	Exact	Dispatching Rules	Comparison among flowshop, job-shop and hybrid shop cases
$Fm  T$ Armentano and Ronconi (1999)	Approx.	Tabu Search	It outperforms Kim (1995)

$Fm  T^w$ Ow (1985)	Approx.	Idle Time Rule Heuristic	Processing times are proportional to a constant
$Fm setup T^w$ Ruiz and Stützle (2008)	Approx.	Iterated Greedy	It outperforms Parthasarathy and Rajendran (1998), Ruiz and Stützle (2005) and Rajendran and Ziegler (2003)
Parthasarathy and Rajendran (1997)	Approx.	Simulated Annealing	Heuristic compared to Lenstra et al (1977) and Gelders and Sambandam (1978)
$Fm,NC_{win}  T^w$ Aggoune et al (2001)	Approx.	Genetic Algorithm	Heuristic compared to randomly generated solutions
$Fm prmu,block T$ Januario et al (2008)	Approx.	Genetic Algorithm	Heuristic compared to Armentano and Ronconi (2000)

**Table 4.** Literature review for flowshop scheduling with given due date: Single-objective,  $n_T$  and  $n_T^w$

<b>Case: Single-Objective (<math>n_T</math> and <math>n_T^w</math>)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
$F2  n_T$ Lin (2001)	X	X	The complexity of the problem is analysed
Bulfin and M'Hallah (2003)	Exact	Branch and Bound	It outperforms Hariri and Potts (1989)
$Fm prmu n_T$ Hariri and Potts (1989)	Exact	Branch and Bound	A lower bound based on the single machine problem is used
$Fm  n_T^w$ Bulfin and M'Hallah (2003)	Exact	Branch and Bound	
$F2 d_j=d n_T^w$ Jozefowska et al (1994)	Exact	Dispatching Rule	They study similar problems for open and job-shop
Della Croce et al (2000)	Exact	Branch and Bound	Up to 900 jobs
$Fm idm-ddm n_T$ Xiang et al (2000)	Exact	Algorithm	Algorithm based on EDD rule
$F2 class-setup n_T^w$ Cheng and Kovalyov (2003)	Approx	Heuristics	Heuristics based on Dispatching Rules
$Fm prmu,secondary-resources n_T$ Ruiz-Torres and Centeno (2008)	Approx	Simulated Annealing	Limited to small and medium sized problems

**Table 5.** Summary on literature review for flowshop scheduling with given due date: Single-objective,  $Y_w$

<b>Case: Single-Objective (<math>Y_w</math>)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
$F2  Y_w$ Lin et al (2006)	Exact	Branch and Bound	A lower bound is proposed
$F2 d_j=d Y_w$ Blazewicz et al (2004) Blazewicz et al (2004) Blazewicz et al (2005c) Blazewicz et al (2005b) Blazewicz et al (2005b) Blazewicz et al (2005a) Blazewicz et al (2008)	Exact	Dynamic Programming Approach	It is compared to an enumerative method
	Approx.	Heuristic	Heuristic based on Dispatching Rules
	Exact	Dynamic Programming Approach	It is compared to an enumerative method
	Approx.	List Scheduling	It is compared to some generated Dispatching Rules
	Approx.	Simulated Annealing, Tabu Search and Variable Neighbourhood Search	They are compared to Blazewicz et al (2004)
	Exact	Dynamic Programming Approach	The complexity of the problem is analysed
	Approx.	Simulated Annealing, Tabu Search and Variable Neighbourhood Search	They are compared to Blazewicz et al (2004)

**Table 6.** Literature review for flowshop scheduling with given due date: Single-objective, Other cases

<b>Case: Single-Objective (Other cases)</b>			
<b>Problem</b>	<b>Method</b>	<b>Algorithm</b>	<b>Comment</b>
<i>Special cases of <math>F2  n_T</math>, <math>F2  T</math>, <math>F2  T_{max}</math></i> Koulamas (1998)	Exact	Some methods	The complexity of the problems is analysed
$Fm prmu, d_j=d \Sigma(C_j-d)$ Gowrishankar et al (2001)	Exact	Branch and Bound	
	Approx.	Heuristic	It is compared to randomly generated solutions
$Fm p_{ij}=1, d_j=d max_j(w_j C_j-d)$ Kaminsky and Lee (2002)	Exact	X	Non-restrictive and restrictive due dates
$F2 prmu \Sigma C_j-d +storage\ cost$ Lauff and Werner (2004)	Approx.	Enumerative method	The complexity of the problems is analysed

### 3. Flowshop scheduling problems and due date setting

The class of due date assignment problems is a challenging topic and has become quite popular in recent years (Gordon et al., 2002). In this type of problems the due date itself is a decision variable, in contrast to the case analysed in the previous section. Considering the aforementioned reviews in the introduction section about the due date assignment problem, and taking into account the wide literature regarding to the flowshop problem, it is worth mentioning that flowshop problems with due date assignment have received very little attention in the scheduling literature. However, due to its importance, this case is included in this work. To the best of our knowledge, only Birman and Mosheiov (2004), Hall et al (1991),

Kaminsky and Lee (2002), Kaminsky and Lee (2008), Mosheiov (2003) present problems with objective related to set due dates in the flowshop layout.

Hall et al (1991) introduce the generalised due date problem and analyse the complexity of some problems in the flowshop case. In particular, the problems are shown NP-complete. Kaminsky and Lee (2008) introduce a novel model for due date quotation in the permutation flowshop environment. The objective is quoted the due date for each job, and jobs must be sequenced on the machines so that all of jobs complete processing on the last machine at or before their due dates. The sum of the quoted due dates is minimised. This objective is defined as the upper bound of the length of the time within which the job has to start processing after it arrives. The release time  $r_j$  for each job, and the processing time  $p_{ij}$  for each machine and jobs are given, and the decision variables are the due dates  $d_j$  and the completion times  $C_{ij}$ . According to the off-line and online scheduling algorithms defined by Kaminsky and Hochbaum (2004), Kaminsky and Lee (2002) present off-line asymptotic optimality and preliminary results for the above problem, then, a online algorithm is developed, analysing asymptotic bounds on its performance under some probabilistic assumptions, and finally, the computational results demonstrate the effectiveness of the algorithm. Birman and Mosheiov (2004) present a note on a due date assignment on a two machine flowshop, with the objective to find both the job schedule and the common due date which minimise maximum earliness, tardiness and due-date costs. The authors present a polynomial time solution by a Johnson Algorithm guaranteeing an optimal solution. Mosheiov (2003) studies the problem of minimising the maximal weighted absolute lateness, applying different weights for earliness and tardiness called asymmetric costs. He proposes a linear programming model to determine the due date for a given sequence to solve the problem in an optimal way for the single machine case, and then it is extended for parallel machines and flowshop. Finally Kaminsky and Kaya (2008) tackle the due date quotation problem too, considering a make-to-order supply chain, formed by a manufacturer served by a single supplier and model them as a two machine flowshop in a decentralised model. They consider the centralised model too, where the entire system is operated by a single entity. They propose algorithms for the models, providing a simple and asymptotically optimal online scheduling and due date quotation heuristic for either the manufacturer and the supplier individually in the decentralised system, or both in the centralised. Finally they compare the performance for both systems.

## References

- Aggoune, R.; Mahdi, A. H.; Portmann, M. C. (2001). Genetic algorithms for the flow shop scheduling problem with availability constraints
- Allahverdi, A.; Al-Anzi, F. S. (2002) Using two-machine flowshop with maximum lateness objective to model multimedia data objects scheduling problem for WWW applications. *Computers & Operations Research*, Vol 29, No.8, pp. 971- 994.
- Armentano, V. A.; Ronconi, D. P. (2000) Minimização do tempo total de atraso no problema de flowshop com buffer zero através de busca tabu. *Gestão e Produção*, Vol 7, pp. 352- 363.
- Armentano, V. A.; Ronconi, D. P. (1999) Tabu search for total tardiness minimization in flowshop scheduling problems. *Computers & Operations Research*, Vol 26, No.3, pp. 219- 235.
- Baker, K. R.; Scudder, G. D. (1990) Sequencing with earliness and tardiness penalties: A review. *Operations Research*, Vol 38, No.1, pp. 22- 36.
- Birman, M.; Mosheiov, G. (2004) A note on a due-date assignment on a two-machine flowshop. *Computers & Operations Research*, Vol 31, No.3, pp. 473- 480.

- Blazewicz, J. et al. (2005c) The two-machine flow-shop problem with weighted late work criterion and common due date. *European Journal of Operational Research*, Vol 165, No.2, pp. 408- 415.
- Blazewicz, J. et al. (2004). Flow shop scheduling with late work criterion - choosing the best solution strategy. In *Applied Computing. Second Asian Applied Computing Conference, AACC 2004, Kathmandu, Nepal, October 29-31, 2004. Proceedings*. pp. 68 - 75. Springer Berlin / Heidelberg
- Blazewicz, J. et al. (2005a) A comparison of solution procedures for two-machine flow shop scheduling with late work criterion. *Computers & Industrial Engineering*, Vol 49, No.4, pp. 611- 624.
- Blazewicz, J. et al. (2005b). Metaheuristics for late work minimization in two-machine flow shop with common due date. pp. 222 - 234.
- Blazewicz, J. et al. (2008) Metaheuristic approaches for the two-machine flow-shop problem with weighted late work criterion and common due date. *Computers & Operations Research*, Vol 35, No.2, pp. 574- 599.
- Bulfin, R. L.; M'Hallah, R. (2003) Minimizing the weighted number of tardy jobs on a two-machine flow shop. *Computers & Operations Research*, Vol 30, No.12, pp. 1887- 1900.
- Caskey, K.; Storch, R. L. (1996) Heterogeneous dispatching rules in job and flow shops. *Production Planning & Control*, Vol 7, No.4, pp. 351- 361.
- Cheng, T. C. E.; Gupta, J. N. D. (1989) Survey of scheduling research involving due date determination decisions. *European Journal of Operational Research*, Vol 38, No.2, pp. 156- 166.
- Cheng, T. C. E.; Kovalyov, M. Y. (2003) Scheduling a single server in a two-machine flow shop. *Computing*, Vol 70, No.2, pp. 167- 180.
- Chung, C. S.; Flynn, J.; Kirca, O. (2006) A branch and bound algorithm to minimize the total tardiness for m-machine permutation flowshop problems. *European Journal of Operational Research*, Vol 174, No.1, pp. 1- 10.
- Della Croce, F.; Gupta, J. N. D.; Tadei, R. (2000) Minimizing tardy jobs in a flowshop with common due date. *European Journal of Operational Research*, Vol 120, No.2, pp. 375- 381.
- Dileepan, P.; Sen, T. (1991) Job lateness in a two-machine flowshop with setup times separated. *Computers & Operations Research*, Vol 18, No.6, pp. 549- 556.
- Fazle Baki, M. D.; Vickson, R. G. (2003) One-operator, two-machine open shop and flow shop scheduling with setup times for machines and maximum lateness objective. *INFOR*, Vol 41, No.4, pp. 301- 319.
- Framinan, J. M.; Leisten, R. (2007) Total tardiness minimisation in permutations flow shops: a simple approach based on a variable greedy algorithm. *International Journal of Production Research*, Vol 46, No.22, pp. 6479- 6498.
- Gelders, L. F.; Sambandam, N. (1978) Four simple heuristics for scheduling a flowshop. *International Journal of Production Research*, Vol 16, No.3, pp. 221- 231.
- Gordon, V.; Proth, J. M.; Chu, C. (2002) A survey of the state-of-the-art of common due date assignment and scheduling research. *European Journal of Operational Research*, Vol 139, No.1, pp. 1- 25.

- Gordon, V.; Proth, J. M.; Strusevich, V. A. (2004). Scheduling with Due Date Assignment. In *Handbook on Scheduling Algorithms, Methods and Models*. pp. 1 - 22. Chapman Hall/CRC
- Gowrishankar, K.; Rajendran, C.; Srinivasan, G. (2001) Flow shop scheduling algorithms for minimizing the completion time variance and the sum of squares of completion time deviations from a common due date. *European Journal of Operational Research*, Vol 132, No.3, pp. 643- 665.
- Grabowski, J.; Skubalska, E.; Smutnicki, C. (1983) On flow shop scheduling with release and due dates to minimize maximum lateness. *Journal of the Operational Research Society*, Vol 34, No.7, pp. 615- 620.
- Hall, N. G.; Sethi, S. P.; Sriskandarajah, C. (1991) On the complexity of generalized due date scheduling problems. *European Journal of Operational Research*, Vol 51, No.1, pp. 100-109.
- Hariri, A. M. A.; Potts, C. N. (1989) A branch and bound algorithm to minimize the number of late jobs in a permutation flow-shop. *European Journal of Operational Research*, Vol 38, No.2, pp. 227- 227.
- Hasija, S.; Rajendran, C. (2004) Scheduling in flowshops to minimize total tardiness of jobs. *International Journal of Production Research*, Vol 42, No.11, pp. 2289- 2301.
- Ízdamar, L.; Yazgaç, T. (1997) Capacity driven due date settings in make-to-order production systems. *International Journal of Production Economics*, Vol 49, No.1, pp. 29- 44.
- Jackson, J. R., (1955). Scheduling a production line to minimize maximum tardiness. Management Science Research Project, UCLA. Los Angeles, California (USA).
- Januario, T. d. O. et al (2008). Genetic local search algorithm for the minimum total tardiness permutation flowshop problem
- Jozefowska, J.; Jurisch, B.; Kubiak, W. (1994) Scheduling shops to minimize the weighted number of late jobs. *Operations Research Letters*, Vol 16, No.5, pp. 277- 283.
- Kaminsky, P.; Hochbaum, D. (2004). Due date quotation models and algorithms. In *Handbook on Scheduling Algorithms, Methods and Models*. pp. 1 - 22. Chapman Hall/CRC
- Kaminsky, P.; Kaya, O. (2008) Scheduling and due-date quotation in a make-to-order supply chain. *Naval Research Logistics*, Vol 55, No.5, pp. 444- 458.
- Kaminsky, P.; Lee, Z. H., (2002). On-line algorithms for flow shop due date quotation. University of California, Berkeley (California, USA). [http://www.ieor.berkeley.edu/~kaminsky/papers/ddq\\_flowshop.pdf](http://www.ieor.berkeley.edu/~kaminsky/papers/ddq_flowshop.pdf).
- Kaminsky, P.; Lee, Z. H. (2008) Effective on-line algorithms for reliable due date quotation and-large-scale scheduling. *Journal of Scheduling*, Vol 11, No.3, pp. 187- 204.
- Keskinocak, P.; Tayur, S. (2004). Due Date Management Policies. In *Handbook of Quantitative Supply Chain Analysis: Modeling in the eBusiness Era*. pp. 485 - 547. Kluwer Academic Publishers
- Kim, Y. D. (1993a) A new branch and bound algorithm for minimizing mean tardiness in two-machine flowshops. *Computers & Operations Research*, Vol 20, No.4, pp. 391- 401.
- Kim, Y. D. (1993b) Heuristics for flowshop scheduling problems minimizing mean tardiness. *Journal of the Operational Research Society*, Vol 44, pp. 19- 28.
- Kim, Y. D. (1995) Minimizing total tardiness in permutation flowshops. *European Journal of Operational Research*, Vol 85, No.3, pp. 541- 555.



- Koulamas, C. (1998) On the complexity of two-machine flowshop problems with due date related objectives. *European Journal of Operational Research*, Vol 106, No.1, pp. 95- 100.
- Koulamas, C. (1994) The total tardiness problem: Review and extensions. *Operations Research*, Vol 42, No.6, pp. 1025- 1041.
- Lauff, V.; Werner, F. (2004) On the complexity and some properties of multi-stage scheduling problems with earliness and tardiness penalties. *Computers & Operations Research*, Vol 31, No.3, pp. 317- 345.
- Lee, Z. H. (2003). Design and analysis of algorithms for due date quotation. Thesis/Dissertation, University of California, Berkeley (USA).
- Lenstra, J.; Rinnooy Kan, A. H. G.; Brucker, P. (1977) Complexity of machine scheduling problems. *Annals of Discrete Mathematics*, Vol 1, pp. 343- 362.
- Liao, C. J.; Liao, L. M.; Tseng, C. T. (2006) A performance evaluation of permutation vs. non-permutation schedules in a flowshop. *International Journal of Production Research*, Vol 44, No.20, pp. 4297- 4309.
- Lin, B. M. T. (2001) Scheduling in the two-machine flowshop with due date constraints. *International Journal of Production Economics*, Vol 70, No.2, pp. 117- 123.
- Lin, B. M. T.; Lin, F. C.; Lee, R. C. T. (2006) Two-machine flow-shop scheduling to minimize total late work. *Engineering Optimization*, Vol 38, No.4, pp. 501- 509.
- Minella, G.; Ruiz, R.; Ciavotta, M. (2008) A Review and Evaluation of Multiobjective Algorithms for the Flowshop Scheduling Problem. *INFORMS Journal on Computing*, Vol 20, No.3, pp. 451- 471.
- Mosheiov, G. (2003) Due-date assignment with asymmetric earliness-tardiness cost. *Journal of the Operational Research Society*, Vol 54, No.11, pp. 1222- 1224.
- Ow, P. S. (1985) Focused scheduling in proportionate flowshops. *Management Science*, Vol 31, No.7, pp. 852.
- Pan, J. C.-H.; Chen, J. S.; Chao, C. M. (2002) Minimizing tardiness in a two-machine flowshop. *Computers & Operations Research*, Vol 29, No.7, pp. 869- 885.
- Pan, J. C.-H.; Fan, E. T. (1997) Two-machine flowshop scheduling to minimize total tardiness. *International Journal of Systems Science*, Vol 28, No.4, pp. 405- 414.
- Parthasarathy, S.; Rajendran, C. (1997) A simulated annealing heuristic for scheduling to minimize mean weighted tardiness in a flowshop with sequence--dependent setup times of jobs--a case study. *Production Planning & Control*, Vol 8, No.5, pp. 475.
- Parthasarathy, S.; Rajendran, C. (1998) Scheduling to minimize mean tardiness and weighted mean tardiness in flowshop and flowline-based manufacturing cell. *Computers & Industrial Engineering*, Vol 34, No.2, pp. 531- 546.
- Portougal, V.; Scott, J. L. (2001) The asymptotic convergence of some flow-shop scheduling heuristics. *Asia - Pacific Journal of Operational Research*, Vol 18, No.2, pp. 243- 256.
- Rajendran, C.; Ziegler, H. (2003) Scheduling to minimize the sum of weighted flowtime and weighted tardiness of jobs in a flowshop with sequence-dependent setup times. *European Journal of Operational Research*, Vol 149, No.3, pp. 513- 522.
- Raman, N. (1995) Minimum tardiness scheduling in flow shops: Construction and evaluation of alternative solution approaches. *Journal of Operations Management*, Vol 12, No.2, pp. 131- 151.

- Ruiz, R.; Allahverdi, A. (2007) No-wait flowshop with separate setup times to minimize maximum lateness. *The International Journal of Advanced Manufacturing Technology*, Vol 35, No.5, pp. 551- 565.
- Ruiz, R.; Stützle, T. (2005). An iterated greedy algorithm for the flowshop problem with sequence dependent setup times
- Ruiz, R.; Stützle, T. (2008) An iterated greedy heuristic for the sequence dependent setup times flowshop problem with makespan and weighted tardiness objectives. *European Journal of Operational Research*, Vol 187, No.3, pp. 1143- 1159.
- Ruiz-Torres, A. J.; Centeno, G. (2008) Minimizing the number of late jobs for the permutation flowshop problem with secondary resources. *Computers & Operations Research*, Vol 35, No.4, pp. 1227- 1249.
- Sen, T.; Dileepan, P.; Gupta, J. N. D. (1989) The two-machine flowshop scheduling problem with total tardiness. *Computers & Operations Research*, Vol 16, No.4, pp. 333- 340.
- Sen, T.; Gupta, S. K. (1984) A state-of-art survey of static scheduling research involving due dates. *Omega, The International Journal of Management Science*, Vol 12, No.1, pp. 63- 76.
- Stevens, J. W.; Gemmill, D. D. (1997) Scheduling a two-machine flowshop with travel times to minimize maximum lateness. *International Journal of Production Research*, Vol 35, No.1, pp. 1- 15.
- T'kindt, V.; Billaut, J. C. (2002). *Multicriteria scheduling: Theory, models and algorithms*. Springer, Berlin (Germany).
- Vallada, E.; Ruiz, R. (2009) Cooperative metaheuristics for the permutation flowshop scheduling problem. *European Journal of Operational Research*, Vol 193, No.2, pp. 365- 376.
- Vallada, E.; Ruiz, R., (2006). New genetic algorithms with path relinking for the minimum tardiness permutation flowshop problem. Universidad Politécnica de Valencia (Spain). <http://www.upv.es/deioac/Investigacion/GATardiness.pdf>.
- Wang, X.; Cheng, T. C. E. (2006) A heuristic approach for two-machine no-wait flowshop scheduling with due dates and class setups. *Computers & Operations Research*, Vol 33, No.5, pp. 1326- 1344.
- Webster, S.; Baker, K. R. (1995) Scheduling groups of jobs on a single machine. *Operations Research*, Vol 43, No.4, pp. 692.
- Wu, C. C.; Lee, W. C.; Wang, W. C. (2007) A two-machine flowshop maximum tardiness scheduling problem with a learning effect. *The International Journal of Advanced Manufacturing Technology*, Vol 31, No.7, pp. 743- 750.
- Xiang, S.; Tang, G.; Cheng, T. C. E. (2000) Solvable cases of permutation flowshop scheduling with dominating machines. *International Journal of Production Economics*, Vol 66, No.1, pp. 53- 57.